

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPICI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPLUS and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPICI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	21	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	22	APR 28	IMSRSEARCH reloaded with enhancements
NEWS EXPRESS	FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 16:09:26 ON 07 MAY 2008

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 16:09:37 ON 07 MAY 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 MAY 2008 HIGHEST RN 1019780-14-3

DICTIONARY FILE UPDATES: 6 MAY 2008 HIGHEST RN 1019780-14-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10586613.str



chain nodes :

10 11 12 13

ring nodes :

1 2 3 4 5 6 7 8 9

chain bonds :

2-13 6-10 10-11 11-12

ring bonds :

1-2 1-6 2-3 3-4 4-5 4-7 5-6 5-9 7-8 8-9

exact/norm bonds :

1-2 1-6 2-3 2-13 3-4 4-5 4-7 5-6 5-9 6-10 7-8 8-9 10-11 11-12
isolated ring systems :
containing 1 :

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:Atom 13:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 16:09:55 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 25 TO ITERATE

100.0% PROCESSED 25 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 200 TO 800

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 16:09:59 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 558 TO ITERATE

100.0% PROCESSED 558 ITERATIONS

16 ANSWERS

SEARCH TIME: 00.00.01

L3 16 SEA SSS FUL L1

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	178.36	178.57

FILE 'CAPLUS' ENTERED AT 16:10:06 ON 07 MAY 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 May 2008 VOL 148 ISS 19
 FILE LAST UPDATED: 6 May 2008 (20080506/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:


<http://www.cas.org/infopolicy.html>

=> s l3 full
 L4 1 L3


=> d ibib abs hitstr tot

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2005:696908 CAPLUS
 DOCUMENT NUMBER: 143:194009
 TITLE: Preparation of 1,2,4-triazolo[1,5-a]pyridines for
 treating gastrointestinal disorders
 INVENTOR(S): Zimmermann, Peter Jan; Brehm, Christof; Palmer,
 Andreas; Chiesa, M. Vittoria; Simon,
 Wolfgang-Alexander; Postius, Stefan; Kromer, Wolfgang;
 Buhr, Wilm
 PATENT ASSIGNEE(S): Altana Pharma A.-G., Germany
 SOURCE: PCT Int. Appl., 33 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005070927	A2	20050804	WO 2005-EP50300	20050125
WO 2005070927	A3	20050922		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1711498	A2	20061018	EP 2005-707837	20050125
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, BA, HR, IS, YU			
US 20080033006	A1	20080207	US 2006-586613	20060719
PRIORITY APPLN. INFO.:			EP 2004-1563	A 20040126
			WO 2005-EP50300	W 20050125
OTHER SOURCE(S):		CASREACT 143:194009; MARPAT 143:194009		
GI				



I




II


AB The title compds. I [R¹ = H, alkyl, cycloalkyl, etc.; R² = halo,

fluoroalkyl, alkenyl, etc.; Ar = (un)substituted mono- or bicyclic aromatic residue selected from Ph, naphthyl, imidazolyl, etc.] which inhibit the secretion of gastric acid, were prepared E.g., a multi-step synthesis of II, starting from 6-hydroxy-5-nitronicotinic acid, was given. The compound II showed >25% inhibition of acid secretion when tested on the perfused rat stomach.


- IT 861898-36-4P, 8-(2-Ethyl-6-methyl-benzylamino)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine-6-carboxylic acid methyl ester
 861898-37-5P, 8-(2-Ethyl-6-methyl-benzylamino)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine-6-carboxylic acid 861898-41-1P, 8-(2-Ethyl-6-methylbenzylamino)-6-hydroxymethyl-2-methyl-[1,2,4]triazolo[1,5-a]pyridine
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of 1,2,4-triazolo[1,5-a]pyridines for treating gastrointestinal disorders)
 RN 861898-36-4 CAPLUS
 CN [1,2,4]Triazolo[1,5-a]pyridine-6-carboxylic acid, 8-[[(2-ethyl-6-methylphenyl)methyl]amino]-2-methyl-, methyl ester (CA INDEX NAME)



- RN 861898-37-5 CAPLUS
 CN [1,2,4]Triazolo[1,5-a]pyridine-6-carboxylic acid, 8-[[(2-ethyl-6-methylphenyl)methyl]amino]-2-methyl- (CA INDEX NAME)




- RN 861898-41-1 CAPLUS
 CN [1,2,4]Triazolo[1,5-a]pyridine-6-methanol, 8-[[(2-ethyl-6-methylphenyl)methyl]amino]-2-methyl- (CA INDEX NAME)



IT 861898-38-6P 861898-39-7P, 8-(2-Ethyl-6-methylbenzylamino)-N-(2-methoxyethyl)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine-6-carboxamide 861898-40-0P, 8-(2-Ethyl-6-methylbenzylamino)-6-methoxymethyl-2-methyl-[1,2,4]triazolo[1,5-a]pyridine 861898-42-2P 861898-43-3P, 8-(2-Ethyl-6-methylbenzylamino)-6-((methylamino)methyl)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine 861898-44-4P, 8-(2-Ethyl-6-methylbenzylamino)-6-aminomethyl-2-methyl-[1,2,4]triazolo[1,5-a]pyridine 861898-45-5P, 8-(2-Ethyl-6-methylbenzylamino)-6-(morpholinomethyl)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine 861898-46-6P, 8-(2-Ethyl-6-methylbenzylamino)-6-(imidazol-1-yl)methyl)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine 861898-47-7P, 8-(2-Ethyl-6-methylbenzylamino)-6-((2-methoxyethoxy)methyl)-2-methyl-[1,2,4]triazolo[1,5-a]pyridine 861898-48-8P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of 1,2,4-triazolo[1,5-a]pyridines for treating gastrointestinal disorders)


RN 861898-38-6 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridine-6-carboxamide, 8-[[[(2-ethyl-6-methylphenyl)methyl]amino]-N,N,2-trimethyl- (CA INDEX NAME)]




RN 861898-39-7 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridine-6-carboxamide, 8-[[[(2-ethyl-6-methylphenyl)methyl]amino]-N-(2-methoxyethyl)-2-methyl- (CA INDEX NAME)]




RN 861898-40-0 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridin-8-amine, N-[(2-ethyl-6-methylphenyl)methyl]-6-(methoxymethyl)-2-methyl- (CA INDEX NAME)



RN 861898-42-2 CAPLUS


CN [1,2,4]Triazolo[1,5-a]pyridine-6-methanamine, 8-[[(2-ethyl-6-methylphenyl)methyl]amino]-N,N,2-trimethyl-, hydrochloride (1:?) (CA INDEX NAME)



●x HCl


RN 861898-43-3 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridine-6-methanamine, 8-[(2-ethyl-6-methylphenyl)methyl]amino]-N,2-dimethyl- (CA INDEX NAME)




RN 861898-44-4 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridine-6-methanamine, 8-[(2-ethyl-6-methylphenyl)methyl]amino]-2-methyl- (CA INDEX NAME)




RN 861898-45-5 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridin-8-amine, N-[(2-ethyl-6-methylphenyl)methyl]-2-methyl-6-(4-morpholinylmethyl)- (CA INDEX NAME)




RN 861898-46-6 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridin-8-amine, N-[(2-ethyl-6-methylphenyl)methyl]-
6-(1H-imidazol-1-ylmethyl)-2-methyl- (CA INDEX NAME)




RN 861898-47-7 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridin-8-amine, N-[(2-ethyl-6-methylphenyl)methyl]-
6-[(2-methoxyethoxy)methyl]-2-methyl- (CA INDEX NAME)




RN 861898-48-8 CAPLUS

CN [1,2,4]Triazolo[1,5-a]pyridin-8-amine, N-[(2-ethyl-6-methylphenyl)methyl]-
6-[(2-methoxyethoxy)methyl]-2-methyl-, hydrochloride (1:?) (CA INDEX
NAME)



● x HCl

IT 861898-51-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of 1,2,4-triazolo[1,5-a]pyridines for treating gastrointestinal
 disorders)
 RN 861898-51-3 CAPLUS
 CN [1,2,4]Triazolo[1,5-a]pyridin-8-amine, 6-(chloromethyl)-N-[(2-ethyl-6-
 methylphenyl)methyl]-2-methyl-, hydrochloride (1:?) (CA INDEX NAME)



● x HCl

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

5.93

184.50

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-0.80

-0.80

STN INTERNATIONAL LOGOFF AT 16:10:35 ON 07 MAY 2008